



GRAVOGLAS[®] 2



- Indoor and outdoor signage
- Professional plates
- Directories

Surface engraving

Matt

	Surface colour	Core colour	2-ply	
			1.6 mm 1/16"	3.2 mm 1/8"
●	white	red	29627	
●	white	azure blue	29628	
●	white	black	17875	29904
●	eggshell	green	29630	
●	cream	green	29632	
●	yellow	black	17881	
●	orange	black	29633	
●	red	white	17877	29905
●	bordeaux	cream	29634	
●	taupe	eggshell	29635	
●	chocolate brown	white	29636	
●	teal	white	29637	
●	apple green	white	17885	29906
●	green	eggshell	29639	
●	green	cream	29640	
●	metallic blue	white	29641	
●	azure blue	white	17879	29907
●	silver grey	black	17887	29908
●	gold	black	29642	29910
●	black	white	17873	29911
●	black	gold	29643	

- Surface engraving
- 3 choices of surface: matt, glossy or textured
- For indoor and outdoor use
- UV stable
- Adhesive backing available



Specifications

Surface	Matt, Glossy, Textured
Composition	DR Acrylic
Engraving depth	0.3 mm (.012")
Full sheet	1220 mm x 610 mm (24" x 48")
Half sheet	610 mm x 610 mm (24" x 24")
Quarter sheet	610 mm x 305 mm (12" x 24")

Capabilities

Interior	■	■	Exterior
Shear		■	Saw
Silk screen	■	■	Hot stamp
Scratch resistant	■		Flexible
Break resistant		■	UV resistant
Min. temp.	-40°C	80°C	Max. temp.

GRAVOGLAS® 2



- Interior and exterior signage
- Professional plates
- Directories

Surface engraving

Glossy

	Surface colour	Core colour	2-ply	
			1.6 mm 1/16"	3.2 mm 1/8"
●	white	red	17907	18063
●	white	azure blue	17904	
●	white	black	17892	18051
●	red	white	17895	18054
●	burgundy	white	17913	18069
●	brown	white	29644	
●	chocolate brown	white	29645	29650
●	yellow	black	17901	18060
●	apple green	white	17910	18066
●	pine green	white	17918	18072
●	metallic blue	white	29646	
●	azure blue	white	17898	18057
●	royal blue	white	29647	
●	gold	black	17927	18075
●	silver	black	17930	18078
●	copper	black	17924	
●	black	white	17889	18048
●	black	gold	17933	18080

- Surface engraving
- 3 choices of surface: matt, glossy or textured
- For indoor and outdoor use
- UV stable

Specifications

Surface	Matt, Glossy, Textured
Composition	DR Acrylic
Engraving depth	0.3 mm (.012")
Full sheet	1220 mm x 610 mm (24" x 48")
Half sheet	610 mm x 610 mm (24" x 24")
Quarter sheet	610 mm x 305 mm (12" x 24")



Capabilities

Interior	■	■	Exterior
Shear		■	Saw
Silk screen	■	■	Hot stamp
Scratch resistant	■		Flexible
Break resistant		■	UV resistant
Min. temp.	- 40°C	80°C	Max. temp.

Textured

	Surface colour	Core colour	2-ply
			1.6 mm 1/16"
●	white	black	18304
●	white	red	18325
●	white	pine green	18337
●	almond	black	34404
●	ivory	chocolate brown	18346
●	yellow	black	18334
●	red	white	18307
●	pine green	white	18343
●	blue	white	18310
●	american blue	white	18313
●	silver grey	black	18322
●	grey	white	18319
●	black	white	18301

GRAVOGLAS® 2



- **Indoor and outdoor signage**
- **Professional plates**
- **Directories**

- For indoor and outdoor use
- UV stable
- Subsurface engraving:
produce multi-colour signage
with paint fill (see Gravolaque
page 36)

Subsurface engraving

Glossy

	Surface colour	Core colour	2-ply		
			1.6 mm	3.2 mm	4.8 mm
			1/16"	1/8"	.20"
○	clear	clear	29655	29657	
○	white	clear	17988	18021	18101
○	almond	clear	17935	18015	
○	yellow	clear	18003	18036	18116
●	red	clear	17997	18030	18110
●	burgundy	clear		18039	
●	air force blue	clear	17938	18018	18098
●	azure blue	clear		18033	
●	garden green	clear		18045	
●	silver grey	clear	29656		
●	silver	clear	17985	18093	
●	gold	clear	17982	18091	
●	brown	clear	17994		
●	black	clear	17991	18024	18104

Matt

	Surface colour	Core colour	2-ply	
			1.6 mm	3.2 mm
			1/16"	1/8"
○	clear	clear	17941	18082
○	white	clear	17947	18086
○	almond	clear	17958	
○	cream	clear	29658	
●	yellow	clear	17956	
●	red	clear	17950	18088
●	bordeaux	clear	29659	
●	burgundy	clear	17976	
●	cocoa	clear	29660	
●	taupe	clear	29661	
●	chocolate brown	clear	17970	
●	apple green	clear	17973	
●	green	clear	29662	
●	azure blue	clear	17953	
●	american blue	clear	29663	
●	sky blue	clear	29664	
●	royal blue	clear	29665	
●	metallic blue	clear	29666	
●	silver grey	clear	17961	
●	slate	clear	29667	
●	silver	clear	29669	
●	gold	clear	29670	
●	black	clear	17944	18084

Specifications

Surface	Matt, Glossy, Textured
Composition	DR Acrylic
Engraving depth	0.3 mm (.012")
Full sheet	1220 mm x 610 mm (24" x 48")
Half sheet	610 mm x 610 mm (24" x 24")
Quarter sheet	610 mm x 305 mm (12" x 24")

Capabilities

Interior	■	■	Exterior
Shear		■	Saw
Silk screen	■	■	Hot stamp
Scratch resistant	■		Flexible
Break resistant		■	UV resistant
Min. temp.	- 40°C	80°C	Max. temp.